


Description


BNC Male To BNC Male Jumper Cable SFT-50-3-1



The Normal Length of Cable Assembly is 0.5m, 1m, or according to customers' requirements.

Description


MCX Male To MCX Male Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


MCX Male R/A To MCX Male R/A Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


N Male To N Male Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


N Male To N Male Jumper Cable SFT-50-3-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


N Male To N Male Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m, or according to customers' requirements.

Description


N Male To N Male Jumper Cable SFT-50-3-1



The Normal Length of Cable Assembly is 0.5m, 1m, or according to customers' requirements.

Description


SMA Male To SMA Male Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description

SMA Male To SMA Male Jumper Cable SFT-50-3-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMA Male To SMA Male R/A Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMA Male To SMA Male R/A Jumper Cable SFT-50-3-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMA Male R/A To SMA Male R/A Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMA Male R/A To SMA Male R/A Jumper Cable SFT-50-3-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMP Male To SMP Male Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMP Male R/A To SMP Male R/A Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SSMA Male To SSMA Male Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


TNC Male To TNC Male Jumper Cable SFT-50-2-1



The Normal Length of Cable Assembly is 0.5m,1m,or according to customers' requirements.

Description

TNC Male To TNC Male Jumper Cable SFT-50-3-1



The Normal Length of Cable Assembly is 0.5m,1m,or according to customers' requirements.

Description

BNC Male To BNC Male Jumper Cable RG402



The Normal Length of Cable Assembly is 0.5m,1m,or according to customers' requirements.

Description


MCX Male To MCX Male Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m,1m or according to customers' requirements.

Description


MCX Male R/A To MCX Male R/A Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


N Male To N Male Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


N Male To N Male Jumper Cable RG402



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


N Male To N Male Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


N Male To N Male Jumper Cable RG402



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMA Male To SMA Male Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description

SMA Male To SMA Male Jumper Cable RG402



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description

SMA Male R/A To SMA Male R/A Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMA Male R/A To SMA Male R/A Jumper Cable RG402



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMA Male To SMA Male R/A Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMA Male To SMA Male R/A Jumper Cable RG402



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMP Male To SMP Male Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m, 1m or according to customers' requirements.

Description


SMP Male R/A To SMP Male R/A Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m,1m or according to customers' requirements.

Description


SSMA Male To SSMA Male Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m,1m or according to customers' requirements.

Description


TNC Male To TNC Male Jumper Cable RG405



The Normal Length of Cable Assembly is 0.5m,1m or according to customers' requirements.

Description


BNC Male To BNC Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m,1m,or according to customers' requirements.

Description


BNC Male To BNC Male Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m,1m,or according to customers' requirements.

Description


MCX Male To MCX Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


MCX Male To MCX Male Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


MCX Male R/A To MCX Male R/A Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


MCX Male R/A To MCX Male R/A Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


N Male To N Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


N Male To N Male Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


N Male To SMA Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


N Male To SMA Male Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


N Male R/A To N Male R/A Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


N Male R/A To N Male R/A Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


SMA Male To SMA Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m,1m,2m or according to customers' requirements.

Description


SMA Male To SMA Male Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m, 1m, 2m or according to customers' requirements.

Description


SMA Male R/A To SMA Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m, 1m, 2m or according to customers' requirements.

Description


SMA Male R/A To SMA Male Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m, 1m, 2m or according to customers' requirements.

Description


SMA Male R/A To SMA R/A Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m, 1m, 2m or according to customers' requirements.

Description


SMA Male R/A To SMA Male R/A Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m, 1m, 2m or according to customers' requirements.

Description


SSMA Male To SSMA Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m, 1m, 2m or according to customers' requirements.

Description


SSMA Male To SSMA Male Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m, 1m, 2m or according to customers' requirements.

Description


TNC Male To TNC Male Jumper Cable RG316



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, or according to customers' requirements.

Description


TNC Male To TNC Male Jumper Cable RG142



The Normal Length of Cable Assembly is 0.5m,1m,2m,or according to customers' requirements.

Description


N Male To N Male Feeder Cable Assembly 1/2" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


N Male To N Male Feeder Cable Assembly 1/2" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


N Female To N Female Feeder Cable Assembly 1/2" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description

N Female To N Female Feeder Cable Assembly 1/2" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To N Male Feeder Cable Assembly 1/2" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description

DIN Male To N Male Feeder Cable Assembly 1/2" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To N Male R/A Feeder Cable Assembly 1/2" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To N Male R/A Feeder Cable Assembly 1/2" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To DIN Male Feeder Cable Assembly 1/2" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To DIN Male Feeder Cable Assembly 1/2" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description

DIN Male To DIN Male R/A Feeder Cable Assembly 1/2" Corrugated Cable




The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.



APMA

Description


DIN Male To DIN Male R/A Feeder Cable Assembly 1/2" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


DIN Female To DIN Female Feeder Cable Assembly 1/2" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description

DIN Female To DIN Female Feeder Cable Assembly 1/2" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


N Male To N Male Feeder Cable Assembly 1/4" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


DIN Male To N Male R/A Feeder Cable Assembly 1/4" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


N Female To N Female Feeder Cable Assembly 1/4" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


N Female To N Female Feeder Cable Assembly 1/4" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


N Male To N Male Feeder Cable Assembly 1/4" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To N Male R/A Feeder Cable Assembly 1/4" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To N Male Feeder Cable Assembly 1/4" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To N Male Feeder Cable Assembly 1/4" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To DIN Male R/A Feeder Cable Assembly 1/4" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To DIN Male R/A Feeder Cable Assembly 1/4" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


DIN Male To DIN Male Feeder Cable Assembly 1/4" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


DIN Male To DIN Male Feeder Cable Assembly 1/4" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


DIN Female To DIN Male Feeder Cable Assembly 1/4" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


DIN Female To DIN Male Feeder Cable Assembly 1/4" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


N Female To N Female Feeder Cable Assembly 7/8" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


N Female To N Female Feeder Cable Assembly 7/8" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


N Male To N Male Feeder Cable Assembly 7/8" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m, 1m, 2m, 5m, 10m or according to customers' requirements.

Description


N Male To N Male Feeder Cable Assembly 7/8" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To DIN Male Feeder Cable Assembly 7/8" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Male To DIN Male Feeder Cable Assembly 7/8" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Female To DIN Female Feeder Cable Assembly 7/8" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Female To DIN Female Feeder Cable Assembly 7/8" Super Flexible Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Female To DIN Female Feeder Cable Assembly 1-1/4" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description


DIN Female To DIN Female Feeder Cable Assembly 1-5/8" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.

Description

DIN Male To DIN Male Feeder Cable Assembly 1-5/8" Corrugated Cable



The Normal Length of Cable Assembly is 0.5m,1m,2m,5m,10m or according to customers' requirements.